

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	221	(702/155).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 11:40
S2	1	feature adj relat\$3 adj tolerance\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 15:27
S3	9	("3670153"   "4030201"   "4038576"   "4181958"   "4221053"   "4241507"   "4241509"   "4296474"   "4390955").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/15 12:02
S4	8	("4754417").URPN.	USPAT	OR	OFF	2005/06/15 12:04
S5	8	S3 and (computer or controller or processor or automatic\$4)	USPAT	OR	OFF	2005/06/16 09:07
S6	8	S4 and (computer or controller or processor or automatic\$4)	USPAT	OR	OFF	2005/06/15 12:06
S7	8	S6 and (position\$2 or location or coordinate\$1) and (size or range or width or diameter or length or distance)	USPAT	OR	OFF	2005/06/15 12:18
S8	7	S5 and (position\$2 or location or coordinate\$1) and (size or range or width or diameter or length or distance)	USPAT	OR	OFF	2005/06/15 12:09
S9	150	S1 and (computer or controller or processor or automatic\$4)	USPAT	OR	OFF	2005/06/15 13:18
S10	137	S9 and (position\$2 or location or coordinate\$1) and (size or range or width or diameter or length or distance)	USPAT	OR	OFF	2005/06/15 14:26
S11	2397	(feature\$1 or hole\$1) with (manufactur\$4 or mechanical or machine\$3) with tolerance\$1	USPAT	OR	OFF	2005/06/20 12:07
S12	1012	S11 and (computer or controller or processor or automatic\$4)	USPAT	OR	OFF	2005/06/15 13:18
S13	930	S12 and (position\$2 or location or coordinate\$1) and (size or range or width or diameter or length or distance)	USPAT	OR	OFF	2005/06/15 13:19
S14	0	S13 and (maximum near3 inscribe\$3 near5 circle\$1)	USPAT	OR	OFF	2005/06/15 13:20
S15	5	S13 and (maximum with inscribe\$3 with circle\$1)	USPAT	OR	OFF	2005/06/15 13:23
S16	5	S11 and (maximum with inscribe\$3 with circle\$1)	USPAT	OR	OFF	2005/06/15 13:27
S17	860	(feature\$1 or hole\$1) with (position\$2 or location or coordinate\$1) with (tolerance\$1 or threshold or acceptance or error\$4 or criteria) same (manufactur\$4 or mechanical or machine\$3)	USPAT	OR	OFF	2005/06/15 14:25
S18	4	S17 and (maximum with inscribe\$3 with circle\$1)	USPAT	OR	OFF	2005/06/15 13:30

S19	5	S17 and (inscribe\$3 with circle\$1)	USPAT	OR	OFF	2005/06/15 15:14
S20	287880	(feature\$1 or hole\$1) with (position\$2 or location or coordinate\$1)	USPAT	OR	OFF	2005/06/16 11:50
S21	117329	S20 and (size or dimension or extent or range or width or diameter or length or distance) with (feature\$1 or hole\$1)	USPAT	OR	OFF	2005/06/15 14:33
S22	1141	S21 and (position\$2 or location or coordinate\$1) with error\$2 with (feature\$1 or hole\$1)	USPAT	OR	OFF	2005/06/15 15:45
S23	0	S22 and (common near\$3 region\$1) with (inscribe\$3 with circle\$1)	USPAT	OR	OFF	2005/06/15 14:36
S24	5	S22 and (inscribe\$3 with circle\$1)	USPAT	OR	OFF	2005/06/15 14:36
S25	2519	(inscribe\$3 with circle\$1)	USPAT	OR	OFF	2005/06/15 14:36
S26	443	S20 and S25	USPAT	OR	OFF	2005/06/15 14:37
S27	309	S21 and S26	USPAT	OR	OFF	2005/06/15 14:37
S28	12	S27 and error\$2 with (feature\$1 or hole\$1)	USPAT	OR	OFF	2005/06/15 14:37
S29	0	(feature or position\$2 or location or hole\$1) with tolerance\$1 with zone with framework	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 15:08
S30	42	(feature or position\$2 or location or hole\$1) with tolerance\$1 with framework	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 15:11
S31	699670	(feature\$1 or hole\$1) with (position\$2 or location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 15:11
S32	189248	S31 and (manufactur\$4 or mechanical or machine\$3)	USPAT	OR	OFF	2005/06/15 15:14
S33	328	S32 and (inscribe\$3 with circle\$1).	USPAT	OR	OFF	2005/06/15 15:14
S34	54	S33 and (error\$2 or tolerance\$1 or correction or offset\$1) with (position\$2 or coordinate\$1 or location or center)	USPAT	OR	OFF	2005/06/16 11:49
S35	168	(position\$2 near\$5 tolerance\$1) same (size near\$5 tolerance\$1)	USPAT	OR	OFF	2005/06/15 15:44
S36	15	S35 and (position\$2 or location or coordinate\$1) with (error\$2 or correction or offset) with (feature\$1 or hole\$1)	USPAT	OR	OFF	2005/06/15 16:04
S37	39	position\$2 with error\$2 with tolerance\$1 with hole\$1	USPAT	OR	OFF	2005/06/15 16:09
S38	3	position\$2 with error\$2 with tolerance\$1 with features	USPAT	OR	OFF	2005/06/15 16:10
S39	7	position\$2 with error\$2 with tolerance\$1 with feature	USPAT	OR	OFF	2005/06/15 16:09
S40	40	composite with position\$2 with tolerance\$3	USPAT	OR	OFF	2005/06/16 09:09

S41	10	composite near4 position\$2 near4 tolerance\$3	USPAT	OR	OFF	2005/06/16 09:09
S42	97	size near3 tolerance\$1 same position\$2 near3 tolerance\$1	USPAT	OR	OFF	2005/06/16 11:53
S43	287880	(feature\$1 or hole\$1) with (position\$2 or location or coordinate\$1)	USPAT	OR	OFF	2005/06/16 11:50
S44	50	S42 and S43	USPAT	OR	OFF	2005/06/16 11:50
S45	9	size adj tolerance\$1 and position\$2 adj tolerance\$1	USPAT	OR	OFF	2005/06/16 11:52
S46	104	("4620841" "5829305" "5953957" "4245296" "4614243" "5027075" "5407063" "5532684" "5576778" "5594867" "5682242" "5690333" "5783341" "5809345" "5867590" "6151450" "6466314" "6292830" "4488806" "6338971" "5969363" "6304836" "4422781" "4446624" "4833599" "5361379" "5453965" "5488618" "5687289" "5805774" "5821935" "5942740" "5724309" "5746204" "4394801" "4412140" "4492446" "4495141" "4537504" "4559551" "4577243" "4614066" "4756090" "4782702" "4785210" "4799635" "4852416" "4878672" "4899296" "4903412").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 12:05
S47	711	33/512.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 12:05
S48	397	74/89.14.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 12:06
S49	61	396/48.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 12:06
S50	2397	(feature\$1 or hole\$1) with (manufactur\$4 or mechanical or machine\$3) with tolerance\$1	USPAT	OR	OFF	2005/06/22 11:49
S51	0	S47 and S50	USPAT	OR	OFF	2005/06/20 12:07
S52	3	S48 and S50	USPAT	OR	OFF	2005/06/20 12:08
S53	0	S49 and S50	USPAT	OR	OFF	2005/06/20 12:08
S66	167	Bruce with Wilson	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 10:59

S67	0	S66 and (parameter with analysis)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 11:01
S68	20	S66 and dimensional	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 11:01
S69	72	S66 and position	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 11:04
S70	42	S69 and location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 11:05
S71	9	S70 and error	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 11:05
S72	0	("2005/0128622").URPN.	USPAT	OR	OFF	2005/06/22 11:06
S73	0	("2003/0125044").URPN.	USPAT	OR	OFF	2005/06/22 11:06
S74	3	("5757567"   "6703950"   "6762701").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/22 11:06
S75	0	("6885321").URPN.	USPAT	OR	OFF	2005/06/22 11:06
S76	7	("4296474"   "4754417"   "4918627"   "5208763"   "5465221"   "5586052"   "5949693").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/22 11:07
S77	4	("6507806").URPN.	USPAT	OR	OFF	2005/06/22 11:07
S78	7	("4949036"   "4984101"   "5537264"   "5537277"   "5596458"   "5636075"   "5657176").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/22 11:07
S79	5	("6061195").URPN.	USPAT	OR	OFF	2005/06/22 11:08
S80	6	("4296474"   "4754417"   "4918627"   "5208763"   "5465221"   "5586052").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/22 11:08
S81	7	("5949693").URPN.	USPAT	OR	OFF	2005/06/22 11:09
S82	14	("4866644"   "5243546"   "5303165"   "5357336"   "5455673"   "5459677"   "5498875"   "5545895"   "5559728"   "5610836"   "5638172"   "5652653"   "5657404"   "5710713").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/22 11:27
S83	16	("5850623").URPN.	USPAT	OR	OFF	2005/06/22 11:28

S84	28	("1614448"   "1879398"   "2331757"   "2547774"   "2974418"   "3047960"   "3090126"   "3091867"   "3237312"   "3432935"   "3537184"   "3590492"   "3812591"   "3872602"   "3989284"   "4184265"   "4324049").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/22 11:28
S85	3	("4580348").URPN.	USPAT	OR	OFF	2005/06/22 11:29
S86	26	("1614448"   "1879398"   "2331757"   "2547774"   "3047960"   "3090126"   "3091867"   "3432935"   "3537184"   "3590492"   "3812591"   "3872602"   "3989284"   "4184265"   "4324049"   "4335518"   "4425715").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/22 11:29
S87	2	("4559711").URPN.	USPAT	OR	OFF	2005/06/22 11:30
S91	221	702/155.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 11:42
S94	24	S91 and (dimensional and parameter and analysis)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 11:46
S95	601	702/189.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 11:46
S96	419	702/56.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 11:46
S97	164	702/40.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 11:46
S98	358	702/190.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 11:46
S99	83	S95 and (dimensional and parameter and analysis)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 15:38

S10 0	22	S96 and (dimensional and parameter and analysis)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 11:47
S10 1	13	S97 and (dimensional and parameter and analysis)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 11:47
S10 2	33	S98 and (dimensional and parameter and analysis)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 11:47
S10 3	2397	(feature\$1 or hole\$1) with (manufactur\$4 or mechanical or machine\$3) with tolerance\$1	USPAT	OR	OFF	2005/06/22 15:39
S10 4	0	S95 and S103	USPAT	OR	OFF	2005/06/22 11:49
S10 5	0	S96 and S103	USPAT	OR	OFF	2005/06/22 11:49
S10 6	1	S97 and S103	USPAT	OR	OFF	2005/06/22 14:20
S10 7	0	S98 and S103	USPAT	OR	OFF	2005/06/22 11:49
S10 8	1	"6560563".pn.	USPAT	OR	OFF	2005/06/22 14:21
S10 9	237	703/7.ccls.	USPAT	OR	OFF	2005/06/22 15:37
S11 0	109	702/168.ccls.	USPAT	OR	OFF	2005/06/22 15:37
S11 1	445	716/21.ccls.	USPAT	OR	OFF	2005/06/22 15:37
S11 2	417	703/1.ccls.	USPAT	OR	OFF	2005/06/22 15:37
S11 3	58	S109 and (dimensional and parameter and analysis)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 15:39
S11 4	2	S110 and (dimensional and parameter and analysis)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 15:39

S11 5	24	S111 and (dimensional and parameter and analysis)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 15:39
S11 6	91	S112 and (dimensional and parameter and analysis)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 15:39
S11 7	4	S109 and S103	USPAT	OR	OFF	2005/06/22 15:39
S11 8	2	S110 and S103	USPAT	OR	OFF	2005/06/22 15:40
S11 9	3	S111 and S103	USPAT	OR	OFF	2005/06/22 15:40
S12 0	6	S112 and S103	USPAT	OR	OFF	2005/06/22 15:40
S12 1	1	feature adj relat\$3 adj tolerance\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 15:27